



State of Ohio Environmental Protection Agency

P.O. Box 1049, 1800 WaterMark Dr.
Columbus, Ohio 43266-0149
(614) 644-3020 Fax (614) 644-2329

US EPA RECORDS CENTER REGION 5



445296

Richard F. Celeste
Governor

October 5, 1990

Ms. Jeannie Griffin
Ohio Site Assessment Manager
U.S. EPA, Region V, 7 TUB
230 South Dearborn Street
Chicago, Illinois 60604

Re: Carstab Site - OHD 000724138 - Hamilton County
Compliance with ORC 3734.02(H) and OAC
3745-27-13

Dear Ms. Griffin:

This letter is in response to your request for authorization to perform intrusive sampling at the Carstab site located in Hamilton County, Ohio. Based upon review of the workplan dated July 25, 1990 and the recommendation of the project coordinator for the Carstab site, I have determined that the intrusive sampling as described in the workplan will not result in violation of applicable laws and regulations administered by the Director of Environmental Protection, will not create a nuisance, and is unlikely to adversely affect the public safety or health or the environment. Therefore, you are hereby authorized to perform the intrusive sampling as described in the SSI workplan dated July 25, 1990 and revised by E&E subject to the following conditions:

1. If boreholes are produced during the inspection, they must be grouted with a bentonite cement grout to within six inches to one foot of the ground surface. The remainder of the hole should be filled using native soil materials.
2. All soils and wastes removed from the boreholes must be containerized and securely stored until such time as the materials can be properly characterized and disposed of according to applicable State and Federal law.


Ms. Jeannie Griffin
Page 2

3. All decontamination fluids, as well as any water removed from monitoring wells and not used for sampling purposes (i.e. purge water) should be containerized and securely stored until such time as these fluids can be properly characterized and disposed of accordingly. Alternative means of disposal such as disposal into the site's wastewater treatment system is acceptable if it would not result in NPDES permit violations.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Board of Review pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Board of Review within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency and the Environmental Law Division of the Office of the Attorney General within three (3) days of filing with the Board. An appeal may be filed with the Environmental Board of Review at the following address.

Environmental Board of Review
236 East Town Street, Room 300
Columbus, Ohio 43215

Further, you are hereby notified that on October 5, 1990 OEPA gave public notice of the authorization to perform intrusive sampling and the public's right to appeal the authorization pursuant to ORC Section 3745.04. This notice is required for all final actions of the Director by OAC Section 3745-47-07.


JENNIFER TIELL, CHIEF, DERR
per delegation of the Director

OCT - 5 1990
Effective Date

HAMILTON COUNTY

PUBLIC NOTICE

OHIO ENVIRONMENTAL PROTECTION AGENCY

Notice is hereby given that the Director of the Ohio Environmental Protection Agency (Ohio EPA) has issued authorization to perform intrusive sampling at the Carstab Corporation Facility located in Reading, Ohio. The effective date of this action is October 5, 1990. The action of the Director is final and may be appealed to the Environmental Board of Review (EBR) pursuant to Section 3745.04 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with EBR within thirty (30) days after notice of the Director's action. A copy of the appeal must be served upon the Director of Ohio EPA within three (3) days of filing at EBR. EBR's address is:

Environmental Board of Review
236 East Town Street
Room 300
Columbus, Ohio 43215